




MINIMIZER PRODUCTS  
• TESTED AND TORTURED™ •  
DAILY BY TRUCKERS FOR TRUCKERS

Since inventing the poly fender back in 1984, Minimizer™ has grown from a one-product company into the leader in heavy duty aftermarket parts. Boasting an array of Tested & Tortured™ products, from Custom Molded Floor Mats to the Long Haul Series™ Truck Seat and Mattress, our goal is to #RespectTheDriver. We do this by stamping premium products with our standard Lifetime Warranty. The Minimizer logo means it is built to last, and sends a very clear message to your customers and competitors that you're well-equipped to handle even the harshest conditions in one of the toughest industries.



500 Minimizer Way, Blooming Prairie, MN 55917  
800.248.3855 • Fax: 507.583.7540  
www.minimizer.com



5<sup>TH</sup> WHEEL SLICK PLATE  
2-3



TRAILER SLICK PLATE  
4-5



SLICK DISK  
6



MINIMIZER™ PRODUCTS  
**ON THE TRUCK: 5<sup>TH</sup> WHEEL SLICK PLATE**



\*Insert Style Slick Plate for Holland


MINIMIZER™ INTRODUCES  
**THE 5<sup>TH</sup> WHEEL SLICK PLATE!**

Minimizer™ 5th Wheel Slick Plates promote a cleaner environment by removing the need for greasing the 5th wheel plate and is a good alternative when you cannot use the Minimizer™ Trailer Slick Plate or Slick Disk\*.

- The non-stick polymer surface eliminates the need to grease the 5th wheel plate.
- The Minimizer 5th Wheel Slick Plate protects all critical areas from wear and tear from use or the elements, without compromising the surface of the 5th wheel plate.
- Kits come complete with pre-drilled polyethylene plate, ram bars and all necessary mounting hardware.
- Minimizer Slick Plate carries a 5 year warranty.

\*Warning: DO NOT use a Minimizer™ 5th Wheel Slick Plate, Trailer Slick Plate, Slick Disk, or a Mfg Low Lube 5th Wheel Topplate in conjunction with one another. Doing so could cause a coupling failure.

**NOT SURE WHICH STYLE WILL FIT?**  
 Use the height and width and dimensions to help!



<b>HOLLAND</b>	Model: FW35 Height: 32.5" Width: 34.5"		Part # 100061	Model: FW3500 & FW2535 Height: 32.5" Width: 37"		Part # 100065
	Model: FW17 Height: 26.5" Width: 35.5"		Part # 100067	Model: FW8 Height: 29" Width: 35.5"		Part # 100070
	Model: FWS1 Height: 25.5" Width: 36"		Part # 100072	Model: FW6000 Height: 26" Width: 20.5"		Part # 100074
	Model: FWAL, FW31, FW33 Height: 22.25" Width: 16.25"		Part # 102916			
<b>FONTAINE</b>	Model: 7000 Height: 30" Width: 35"		Part # 100077	Model: 6000 (No Slack II) Height: 30" Width: 35"		Part # 100079
	Model: 5092 (No Slack I) Height: 32" Width: 35.5"		Part # 100081	Model: 3000 Height: 26.5" Width: 35"		Part # 100083
<b>JOST</b>	Model: JSK37F Height: 30" Width: 35.5"		Part # 100086	Model: JSK37H Height: 31.5" Width: 35"		Part # 100088
	Model: JSK37U Height: 29.5" Width: 35.5"		Part # 103090			
<b>ASF</b>	Model: CASTLOC Height: 36.5" Width: 36.5"		Part # 100096	Model: CASTLOC II Height: 36.5" Width: 36.5"		Part # 100098
	Model: Simplex SE Height: 25.5" Width: 36"		Part # 100090	Model: Simplex Lite Height: 26.5" Width: 35.5"		Part # 100092
<b>SIMPLEX</b>	Model: Simplex II Height: 33" Width: 36"		Part # 100094			
	Model: 18K, 20K & 25K Height: 15.5" Width: 19"		Part # 100100			
<b>REESE</b>	Model: 15K Height: 14" Width: 11.5"		Part # 100164			
<b>ROBIN INDUSTRIES</b>	Model: Fits Most Models Height: 15" Width: 11.5"		Part # 100165			
<b>REPLACEMENT PARTS</b>	Hardware Kit (ram bars not included)		Part #: 100062			
	2.5" Ram Bar		Part #: 100084			
	3.5" Ram Bar		Part #: 100075			
	5.75" Ram Bar		Part #: 100068			
7.25" Ram Bar		Part #: 100063				

**HARDWARE INCLUDED WITH ALL KITS**

\*Illustrations above not shown to scale. Don't see your model? Templates can be produced for most models on the market.

# ON THE TRUCK: TRAILER SLICK PLATE



## MINIMIZER™ INTRODUCES THE TRAILER SLICK PLATE!

Minimizer™ Trailer Slick Plates promote a cleaner environment by removing the need for greasing the trailer coupler plate and is a good alternative when you cannot use the Minimizer™ 5<sup>TH</sup> Wheel Slick Plate\*.


- Reduces wear on 5th wheels & Upper Coupler.
- Eliminates the need to grease.
- Installs on existing and new trailers.
- Increases steer tire life.
- Easier trailer handling for drivers.
- A strong, self-lubricating solid polymer plate.
- Designed for frequent hook and drop applications
- Available in custom sizes predrilled.

*\*Warning: DO NOT use a Minimizer™ 5th Wheel Slick Plate, Trailer Slick Plate, Slick Disk, or a Mfg Low Lube 5th Wheel Topplate in conjunction with one another. Doing so could cause a coupling failure. DO NOT INSTALL the Trailer Slick Plate if it extends past the front edge of the trailer or the upper bolster plate.*

### NOT SURE WHICH STYLE WILL FIT?

Use the height, width, and king pin setback dimensions to help!

- A: Height**
- B: Width**
- C: KP Setback**



KP Setback = Measurement from the front edge of the trailer to the center of the king pin.



Part #	Dimensions	King Pin Setback	
102340	36" x 26" x 1/4"	12" - 14"	

Part #	Dimensions	King Pin Setback	
102346	36" x 28" x 1/4"	15" - 17"	

Part #	Dimensions	King Pin Setback	
102344	36" x 30" x 1/4"	18" - 20"	

Part #	Dimensions	King Pin Setback	
102345	36" x 33" x 1/4"	21" - 24"	

Part #	Dimensions	King Pin Setback	
102347	36" x 37" x 1/4"	25" - 27"	

Part #	Dimensions	King Pin Setback	
102348	36" x 43" x 1/4"	28" - 30"	

Part #	Dimensions	King Pin Setback	
102341	36" x 45" x 1/4"	31" - 36"	

Part #	Dimensions	King Pin Setback	
102342	36" x 48" x 1/4"	37" - 52"	

Part #	Dimensions	King Pin Setback	
102343	36" x 30" x 1/4"	Frameless Dump	

\*Kits come complete with Trailer Slick Plate and all necessary mounting hardware.



**THE MINIMIZER™ SLICK DISK NEEDS NO INTRODUCTION**

Nearly eliminating the need for greasing the face of the 5th wheel plate, the Minimizer™ Slick Disk protects against friction and long-term wear that can be caused by normal towing.

- The Slick Disk comes with a single 32" round x 1/4" thick disk and mounting/retainer clip.
- Installs in minutes with minimal tools.
- Weighs just 5.2 pounds.
- Please reference Part# ACCSLICK32ASSY

*\*Warning: DO NOT use a Minimizer™ 5th Wheel Slick Plate, Trailer Slick Plate, Slick Disk, or a Mfg Low Lube 5th Wheel Topplate in conjunction with one another. Doing so could cause a coupling failure.*



# 3 CHOICES:

## FOR LONG TERM PROTECTION

**SLICK. JUST LIKE THE REST OF OUR PRODUCTS.**

**Why so many options?** Minimizer™ is proud to offer several problem solutions with the long term protection of **your rig, your trailers, your load and YOU in mind.** The industry as a whole sees new obstacles every day and what might work for one owner operator's application might not be as practical for a small fleet.



5<sup>TH</sup> WHEEL SLICK PLATE



TRAILER SLICK PLATE



SLICK DISK



**ELIMINATE NEED FOR GREASE**



**EASY INSTALLATION**



**5 YEAR WARRANTY**



**TESTED & TORTURED**